

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES


Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**



SCHERING-PLough

004



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NUMBER	FILING OR 371 (e) DATE	FIRST NAMED APPLICANT	ATTY. DOCKET NO.
10/649,398 ✓	08/27/2003 ✓	Saeed Chaudhry	PD015106K

24265
SCHERING-PLough CORPORATION
PATENT DEPARTMENT (K-6-1, 1990)
2000 GALLOPING HILL ROAD
KENILWORTH, NJ 07033-0530

PD01506K
IN COV/ect
PS. Chash
CONFIRMATION NO. 6095

RECEIVED

MAR 12 2004

Computer input _____

Date: 3/16PA: WANAttty: RJL

FILE CHECK FILE

NOTICE OF PUBLICATION OF APPLICATION

The above-identified application will be electronically published as a patent application publication pursuant to 37 CFR 1.211, et seq. The patent application publication number and publication date are set forth above.

The publication may be accessed through the USPTO's publicly available Searchable Databases via the Internet at www.uspto.gov. The direct link to access the publication is currently <http://www.uspto.gov/patft/>.

The publication process established by the Office does not provide for mailing a copy of the publication to applicant. A copy of the publication may be obtained from the Office upon payment of the appropriate fee set forth in 37 CFR 1.19(a)(1). Orders for copies of patent application publications are handled by the USPTO's Office of Public Records. The Office of Public Records can be reached by telephone at (703) 308-9726 or (800) 972-6382, by facsimile at (703) 305-8759, by mail addressed to the United States Patent and Trademark Office, Office of Public Records, Alexandria, VA 22313-1450 or via the Internet.

In addition, information on the status of the application, including the mailing date of Office actions and the dates of receipt of correspondence filed in the Office, may also be accessed via the Internet through the Patent Electronic Business Center at www.uspto.gov using the public side of the Patent Application Information and Retrieval (PAIR) system. The direct link to access this status information is currently <http://pair.uspto.gov/>. Prior to publication, such status information is confidential and may only be obtained by applicant using the private side of PAIR.

Further assistance in electronically accessing the publication, or about PAIR, is available by calling the Patent Electronic Business Center at (703) 305-3028.

Customer Service Center
Initial Patent Examination Division (703) 308-1202



Patent Case No. PD01506K

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: :
Chaudhry, et al. :
Patent For: Process for producing :
Metered dose inhaler formulations : Group Art Unit: 1614
Serial No.: 10/649,938 :
Filed: 8/27/03 :
----- X -----

ATT: Office of Initial Patent Examination's
Filing Receipt Corrections
(Facsimile 703-746-4000)

REQUEST FOR CORRECTED FILING RECEIPT

Sir:

Please correct the Filing Receipt for the above-referenced patent application to recite the changes discussed below. We believe no fees are due, however, the Commissioner is hereby authorized to charge any fees or credit any overpayments to Deposit Account NO. 19-0365. Pursuant to the instructions on the Filing Receipt, applicants submit herewith a copy of the original Filing Receipt with requested changes noted thereon in red ink.

The Attorney Docket No. on the Filing Receipt recites "PD015106K".

The Attorney Docket No. is PD01506K as can be seen from the papers filed on 8/27/03, the filing date of the above captioned application. Accordingly, it respectfully is requested that the filing receipt should be corrected and re-issued to reflect this information.



- 2 -

If the Office has any questions concerning this paper and submission,
please contact the undersigned.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Robert J. Lipka".

Robert J. Lipka
Attorney for Applicant(s)
Registration No.: 42,807
Telephone No.: (908) 298-5056
Facsimile No. (908) 298-5388

Patent Department, K-6-1, 1990
SCHERING-PLOUGH CORPORATION
2000 Galloping Hill Road
Kenilworth, New Jersey 07033-0530

IFX4/3761



SCHERING-PLOUGH CORPORATION
LAW DEPARTMENT
2000 GALLOPING HILL ROAD
K-6-1, MAIL STOP
KENILWORTH, NEW JERSEY 07033
(908) 298-4000

FACSIMILE TRANSMITTAL SHEET

TO:	USPTO	FAX NUMBER:
	Attn: Office of Initial Patent Examinations	(703) 746-4000
FROM:	Robert J. Lipka	PHONE NUMBER:
		(908) 298-5056
TOTAL NO. OF PAGES INCLUDING COVER		DATE
4		March 19, 2004

CONFIDENTIALITY NOTE: This sheet and/or the document(s) accompanying it contain information belonging to Schering-Plough Corporation and/or its affiliates which is confidential and/or legally privileged. The information is intended only for the use of the individual or entity named above. If you have received this fax in error, please immediately notify us by telephone. If there is a problem with this transmission please call at .

NOTES/COMMENTS:

PLEASE HAND DELIVER TO THE ATTENTION OF OIPE
Filing Receipt Correction to follow.

In re Application of : Chaudhry, et al.
For Patent For: Process for producing Metered dose inhaler formulations
Group Art Unit: 1614
Serial No.: 10/649,938
Filed: 8/27/03

PHONE: (908)298-5057

FAX: (908)298-5388